Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMS control number.

Substitute for form 1449A/PTO				Complete if Known		
				Application Number	10/522,807	
INFORMATION DISCLOSURE STATEMENT BY APPLICANT				Filing Date	1/31/2005	
				First Named Inventor	Tsuyoshi SHIINA	
				Art Unit	3736	
	(use as many sheets as n	ecessa	rv)	Examiner Name		
Sheet	1	of	2	Attorney Docket Number	389.44708X00	

			U.S. PATENT		
Examiner Initials'	Cite No.1	Document Number Number-Kind Gode ² (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
/LNL/		US- 6,277,074	8/21/2001	Chaturvedi et al	
		US-			
		US-	VATE		
		US-			
		US-			
		US-			
		IIIe .			

		FOREIG	N PATENT DO	UMENTS		,
Examiner Initials'	Cite No.1	Foreign Patent Document Country Code ³ -Number ⁴ -Kind Code ⁵ (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	т
/LNL/		DE 198 24 108	12/2/1999	Pesavento		-
						F
			 		4.004	H

Examiner Signature	/Lawrence Laryea/	Date Considered	12/05/2010
Signature		Considered	_

*EXAMINER; Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered, include copy of this form with next communication to applicant. 1 Applicant's unique citation designation number (optional) 2 See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04.3 Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). 4 For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. 5 Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible, 6 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gethering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Under	the Paperwork Reduc	tion Act of 199	o, no persons are required	to respond to a collection of information	on unless it displays a valid ONID control rightbe	
Substitute for fo	rm 1449/PTO			Complete if Known		
				Application Number	10/522,807	
INFO	DRMATIO	N DISC	LOSURE	Filing Date	1/31/2005	
STA	STATEMENT BY APPLICANT			First Named Inventor	Tsuyoshi SHIINA	
				Group Art Unit	3736	
	(use as many s	heets as ned	essary)	Examiner Name		
Sheet	2	of	2	Attorney Docket Number	44708X00	

Examiner	T Cit-	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the	T ²
:xaminer nitials*	Cite, No.	item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s),	
/LNL/		Tsuyoshi Shiina et al, "Fukugo jiko solahino ni yoru jitsilijkan tisuse elasticity imaging/Real Time Tissue Elasticity Imaging Using The Combined Autocorrelation Method" J Med Ultrasonics, Vo. 26, no. 2, 1999, pp 57-66 February 15, 1999	
/LNL/		Nitta et al: "Tissue Elasticity Imaging based On Combined Autocorrelation Method and 3-D Tissue Model, 1998 IEEE Ultrasonics Symposium Proceedings, Piscataway, NJ USA LNKD-DOI: 10.1109/Ultsym. 1998.176216 vol. 2, October 5, 1998, pp 1447-1450	
/LNL/		Shiina et al: "Strain Imaging Using Combined RF and Envelope Autocorrelation Processing", Proceedings of the IEEE Ultrasonics Symposium 1996 IEEE, vol 2, 1996, pp 1331-1336	
/LNL/		Nitta et al "Tissue Elasticity Reconstruction Based on Three-Dimensional Weighted Phase Gradient Method 1999 IEEE Ultrasonics Symposium Proceedings International Symposium IEEE Piscataway, NJ USA, vol 2 1999, pp 1655-1666	
	1		T
			Γ
			T
			T
			+

Examiner	// mirror and I marked	Date	12/05/2010
Signature	/Lawrence Laryea/	Considered	